

Elegant Solutions for Modern Living

ACO Euroline

Versatile. Simple. Beautiful.

Modern architecture demands drainage solutions that perform reliably while blending seamlessly into the built environment. Whether for commercial buildings, public spaces, landscaped areas, Residence or infrastructure projects, efficient surface water management is essential to protect structures, enhance safety, and maintain visual harmony.


ACO Euroline is a high-performance drainage system designed to meet these demands. With its slim, linear appearance and robust engineering, Euroline delivers effective drainage while preserving clean architectural lines.

As climate change leads to increasingly intense and unpredictable rainfall, reliable drainage systems are more critical than ever. ACO Euroline ensures controlled surface water collection and safe discharge across a wide range of applications including plazas, walkways, building perimeters, façades, entrances, courtyards, and paved surfaces in Residential, commercial and public environments.

More than just a functional element, ACO Euroline is an architectural feature. Available in various configurations, materials, and installation options, the system integrates seamlessly into different design concepts while meeting the technical requirements of demanding projects.

With ACO Euroline, functionality and aesthetics work together delivering discreet drainage solutions that support both design intent and long-term performance.





Content

1 **Euroline 100** 04

2 **Euroline 150** 10

3 **Euroline 200** 14


ACO Self® Euroline drainage systems keep driveways, walkways, terraces, and façade areas free from rainwater and surface water, thereby protecting the building structure.

Euroline 100




Product Information

- Made of polymer concrete
- V-shaped channel profile for efficient water flow
- Loadclass according to EN 1433
- Light weight with excellent mechanical strength
- Smooth internal surface for high flow velocity and self-cleaning performance
- Screwless grate locking system for secure and easy installation
- Frost-resistant



Euroline 100 channel

Length 1000 mm, width 118 mm



Length [mm]	Width [mm]	Height Overall [mm]	Weight [kg/unit]	Article No
Standard channel				
1000	118	55	5.20	810000
1000	118	97	6.70	3003669
1000	118	139	10.20	810008


Euroline 100


Euroline 100 channel with DN 100 outlet pipe















Length [mm]	Width [mm]	Height Overall [mm]	Weight [kg/unit]	Article No
Standard channel				
1000	118	55	5.20	810010
1000	118	97	6.70	38501
1000	118	139	10.20	810018


Euroline 100 channel with DN 100 knockout
















Length [mm]	Width [mm]	Height Overall [mm]	Weight [kg/unit]	Article No
Standard channel				
1000	118	55	5.20	810020
1000	118	97	6.70	810024
1000	118	139	10.20	810028







Accessories for Euroline 100 channel

Image	Description	Height [mm]	Weight [kg/pc]	Article No
		55	0.35	810200
	Combined header for start/end of channel	97	0.45	38504
		139	0.80	810202
	Header with integrated DN 60 discharge sleeve	55	0.50	810201
	Header with integrated DN 100 discharge sleeve	97	0.60	38505
		139	0.95	810203
	Step Connector	97	0.50	810204
		139	0.50	810205

* Customized SS accessories are available



Grating Designs for Euroline 100


Image	Description	Length [mm]	Width [mm]	Article No
Load class A15				
	Galvanized steel Grating	1000	118	810100
	Stainless Steel Wave Grating	1000	118	155009
	Stainless Steel Quadratto Grating	1000	118	155029
	Stainless Steel Mesh Grating	500	118	155757
	Stainless Steel U-Bar Grating	500	118	155759
	Stainless Steel Unigrip Grating	500	118	155772
	Polypropylene (PP) Grating	500	118	319251
		1000	118	319250
Load class B125				
	Ductile Iron Bar Grating	500	118	155058
	Stainless Steel Mesh Grating	500	118	155778
	Ductile Iron Double Wave grating	500	118	155060
Load class C250				
	Ductile Iron Bar Grating	500	118	155058
	Ductile Iron Double Wave grating	500	118	155060


Accessories


Image	Description	Weight [kg/pc]	Article No
	Grating Lifter	0.30	155059

Brickslot Grating for Euroline 100


- Stainless Steel AISI 304 / 316
- **Slot 10 mm opening**
- Total height:
  H+ 15 mm for A15








Description	Length [mm]	Height (H) [mm]	Article No
Load class A15			
Stainless Steel Brickslot Grating	1000	10	155396
	800	10	155398
	200	10	155397
Stainless Steel Brickslot Grating	1000	25	155065
	800	25	155067
	200	25	155066
Stainless Steel Brickslot Grating	1000	40	155748
	800	40	155750
	200	40	155749
Stainless Steel Brickslot Grating	1000	70	155754
	800	70	155756
	200	70	155755
Stainless Steel Brickslot Grating	1000	105	155751
	800	105	155753
	200	105	155752



Double Slot Grating for Euroline 100

- Stainless Steel AISI 304 / 316
- **Slot 7 mm opening**
- Total Height: H +1.5






Description	Length [mm]	Height [mm]	Article No
A 15			
Stainless Steel Double Slot	500	15	155391
	1000	15	155011
Corner Unit	150 x 150	15	155390

Accessories

Image	Description	Weight [kg/pc]	Article No
	Hooks for opening inspection elements (2 pcs.)	0.50	155068






Euroline 150

Product Information


- Made of polymer concrete
- V-shaped channel profile for efficient water flow
- Loadclass according to EN 1433
- Light weight with excellent mechanical strength
- Smooth internal surface for high flow velocity and self-cleaning performance
- Screwless grate locking system for secure and easy installation
- Frost-resistant





Euroline 150 channel

Length 1000 mm, width 185 mm











Length [mm]	Width [mm]	Height Overall [mm]	Weight [kg/unit]	Article No
Standard channel				
1000	185	100	5.20	850000
1000	185	200	6.70	850020


Euroline 150

Euroline 150 channel with DN 150 outlet pipe












Length [mm]	Width [mm]	Height Overall [mm]	Weight [kg/unit]	Article No
Standard channel				
1000	185	100	5.20	850010
1000	185	200	6.70	850030

Euroline 150 channel with DN 150 knockout










Length [mm]	Width [mm]	Height Overall [mm]	Weight [kg/unit]	Article No
Standard channel				
1000	185	100	5.20	850015
1000	185	200	6.70	850025




Accessories for Euroline 150 channel

Image	Description	Height [mm]	Article No
	Combined header for start/end of channel	100	850210
		200	850230
	Header with integrated DN 100 discharge sleeve	100	850220
	Header with integrated DN 150 discharge sleeve	200	850240

* Customized SS accessories are available



Grating Designs for Euroline 150


Image	Description	Length [mm]	Width [mm]	Article No
Load class A15				
	Galvanized Mesh Grating	500	184	155762
	Stainless Steel Unigrip Grating	500	184	155776
	Stainless Steel Wave Grating	1000	184	155773
	Stainless Steel Quadratto Grating	1000	184	155777


Accessories


Image	Description	Weight [kg/pc]	Article No
	Grating Lifter	0.30	155059

Brickslot Grating for Euroline 150

- Stainless Steel AISI 304 / 316
- **Slot 10 mm**
- Total height:
  H+ 23 mm for A15







Description	Length [mm]	Height(H) [mm]	Article No
Load class A15			
Stainless Steel Brickslot Grating	1000	50	155766
	800	50	155768
	200	50	155767

Accessories


Image	Description	Weight [kg/pc]	Article No
	Hooks for opening inspection elements (2 pcs.)	0.50	155068

Euroline 200



Product Information


- Made of polymer concrete
- V-shaped channel profile for efficient water flow
- Loadclass according to EN 1433
- Light weight with excellent mechanical strength
- Smooth internal surface for high flow velocity and self-cleaning performance
- Screwless grate locking system for secure and easy installation
- Frost-resistant





Euroline 200 channel body

Length 1000 mm, width 235 mm












Length [mm]	Width [mm]	Height Overall [mm]	Weight [kg/unit]	Article No
Standard channel				
1000	235	150	5.20	860000
1000	235	250	6.70	860020


Euroline 200

Euroline 200 channel with DN 200 outlet pipe











Length [mm]	Width [mm]	Height Overall [mm]	Weight [kg/unit]	Article No
Standard channel				
1000	235	150	5.20	860010
1000	235	250	6.70	860030

Euroline 200 channel with DN 200 knockout










Length [mm]	Width [mm]	Height Overall [mm]	Weight [kg/unit]	Article No
Standard channel				
1000	235	150	5.20	860005
1000	235	250	6.70	860025


Accessories for Euroline 200 channel

Image	Description	Height [mm]	Cod. art.
	Channel start/end header	150	860210
		250	860230
	Header with integrated drain sleeve DN 150	150	860220
		250	860240

* Customized SS accessories are available



Grating Designs for Euroline 200

Image	Description	Length [mm]	Width [mm]	Article No
Load class A15				
	Stainless Steel Unigrip Grating	500	234	155774
	Stainless Steel Quadratto Grating	1000	234	155775

Accessories

Image	Description	Weight [kg/pc]	Article No
	Grating Lifter	0.30	155059

ACO. we care for water

Intelligent drainage systems from ACO ensure the proper diversion or storage of rainwater and wastewater. With innovative separation and filtration technology, we prevent water contamination. We embrace the challenge of water reuse to secure a resource-efficient cycle.

ACO Systems and Solutions Pvt Ltd

Plot no: 113 & 114,
Survey no: 89, 90 & 93,
Peenya III Phase Industrial Area,
Bangalore - 560058
Tel. 080 2372 5487
acoindia@acosystems.in
www.aco.com

Find your personal contact person:

https://www.aco.in/contact/
sales-find-your-local-representative